

M110X

Micro Music System with Built-in Universal Dock for iPod and Subwoofer



iSymphony™
Bringing Audio Back to LIVE™



www.mysymphony.com

Features

- **800 Watts peak power, 100 Watts RMS output power**
- + 100 Watt Subwoofer**
- **5 ½ inch poly-cone woofers and 1 inch dome tweeters for full bass and detailed highs**
- **Built-in Universal Dock for iPod - Charges your iPod while docked**
- **Front-loading CD player with CD/CD-R/RW compatibility**
- **MP3 and WMA playback with track title display**
- **USB compatible – play music from USB flash memory devices**
- **SD and MMC card slots supporting music playback**
- **AM/FM Stereo with Digital Synthesized Tuner**
- **Dynamic Bass Boost System for rich, full bass and Equalizer with Classic, Rock, Pop and Jazz presets**
- **Removable dock adapters to fit iPod models - iPod touch, nano 3G, iPod classic, nano 2G, iPod 5G, nano 1G, iPod 4G and mini**
- **Encoding Capabilities: WMA recording from CD, FM Stereo and AUX Input**
- **Remote control included**

Works with the following iPod models:



Manufactured and serviced by:
iSymphony Holdings Enterprises
7801 Hayvenhurst Avenue Van Nuys, CA 91406 USA
www.mysymphony.com

"iPod" is a registered trademark owned by Apple Inc. in the U.S and in other countries.
Windows Media is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.
"iSymphony", "Bringing audio back to live" and "Bringing audio back to life" are trademarks of iSymphony Holdings Enterprises, LLC.

Technical Specification

General	
Power Requirements	120V AC, 60 Hz
Power consumption	200W (operation) 4W (standby)
Dimensions of Main Unit	169 (W) x 236 (H) x 346 (D) mm
Weight of main unit	5.046 Kg (Subwoofer non included)
Amplifier section	
Power Output	50 Watts x 2 + 100 Watt Subwoofer
Tuner	
FM Tuning range	87.5 MHz to 108 MHz (100 KHz Step)
AM Tuning range	530 KHz to 1710 KHz (10 KHz Step)
Preset memory stations	FM 30 / AM 15
CD player section	
Playback system	Compact Disc Digital Audio
DAC	8 times over sampling, 1 bit D/A converter,
Frequency response	100 – 20,000 Hz
Card/USB Section	
Flash memory card support	SD/MMC up to 2GB
USB Support	Flash Storage Device up 2GB
Speaker system	
Speakers	2 Way full range + 1 subwoofer + 2 tweeter

Model #: M110X

Product weight	52 lbs
Product dimensions	21.77"(L) x 18.46"(W) x 25.51"(H)
Product UPC	827396511367



iSymphony™
Bringing Audio Back to LIVE™

www.mysymphony.com

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>