

Dell™ 3200MP Projector



Dell | 3200MP Projector

**Great things come in small packages,
and they keep getting better.**

Business users looking to take their shows on the road with a portable projector have a number of choices that weigh in at under 2kg. But Dell™ has the only 1.6kg, XGA projector that is priced to get the most out of your budget. With its bright 1300 ANSI Lumens (max.)¹ and super-high 1800:1 contrast ratio, the Dell 3200MP Projector offers outstanding performance, value, mobility and ease of use.

Great performance and value is a given – it's from Dell!

Weeks and months of preparation for an important presentation can go to waste with a projector that doesn't perform up to par. The Dell 3200MP micro-portable projector was built from the inside out to make your work look great! You can take your presentations anywhere with this fully versatile projector. In addition to desktop or tabletop use, it is ceiling-mountable for use in classrooms, training rooms and conference rooms. Considering the rigours and complexity of travel, portability is key. The 3200MP, at a mere 1.6kg, and 74mm thin, is lighter than most notebooks, making it a handy travelling companion. To enhance its road-readiness, it is equipped with a strong magnesium casing and comes with its own rugged carrying case. Factor in Dell performance and value, 2-year warranty with Advanced Exchange Service², as well as Dell's renowned technical support, and you have a lightweight projector that's a heavyweight performer.

Performance

- Up to 1300 ANSI Lumens (max.)¹ gives clear images, even with ambient light
- Super-high 1800:1 contrast ratio (full on/full off) for great video images and crisp text
- Native XGA (1024 x 768) resolution with autosync upto UXGA
- Integrated zoom lens and keystone correction allows adjustment of the projected image
- DDR DLP™ technology from Texas Instruments
- Supports full range of television and video standards including NTSC, PAL, SECAM and HDTV (480p, 480i, 720p and 1080i)

Value

- Includes hard-shell carrying case, wireless remote control and all necessary cables
- 2-year Next Business Day Advanced Exchange warranty service² as standard (90 days on bulb)

Mobility

- Lightweight, compact design: 1.6kg and 74mm thin
- Form factor is smaller and lighter than most notebooks
- Durable, sturdy magnesium casing helps protect against damage on the road

Ease of use

- True plug-and-play compatibility with virtually all computers, including Dell Latitude™ and Inspiron™ notebooks
- Quick setup guide for first-time users shows the steps to normal operation
- Remote control with integrated laser pointer and mouse functions
- Ceiling-mountable (kit sold separately)




Dell 3200MP Projector

Presentations made easy. Easy as **DELL™**

Visit www.euro.dell.com for more information.

DELL 3200MP PROJECTOR



3200MP PROJECTOR SPECIFICATIONS

Projection Technology

Single chip DDR DLP™
(Digital Light Processing)

Brightness

1300 ANSI Lumens (max)¹

Contrast

1800:1 (full on/full off)

Resolution

Native 1024 x 768 XGA, with auto sync to UXGA (1600 x 1200)

Displayable Colours

16.7 million

Weight

1.6kg

Dimensions

234mm x 74mm x 188mm

Image Adjustment

Integrated zoom lens and keystone correction

Projection Screen Size

25" – 293" (diagonal)

Projection Distance

1.2m – 12m

Video Compatibility

NTSC, NTSC 4.43, PAL, PAL-M, PAL-N, SECAM and HDTV (1080i, 720p, 480i/p) compatibility

Multimedia Capability

Internal 2 watts speaker and amp

Included Accessories

Carrying case, wireless remote with laser pointer and all necessary cables

Warranty and Support

2-year warranty with Advanced Exchange Service² (90 days on bulb), online and phone technical support

Flexible Orientation

Desktop, ceiling-mountable and rear/front projection

Bulb

150 watts, user-replaceable P-VIP; 2000 hours

Power Consumption

210 watts at normal operation

Power Supply

Universal 100-240V AC 50/60Hz

I/O Connectors

Power: AC power input socket

Computer input: one M1-DA connector for analogue/digital/component/HDTV signal and mouse

Computer output: one 15-pin D-sub

Video input: one composite video RCA and one S-Video

Audio input: one audio jack

Environmental

Operating temperature: 10°C – 40°C (50°F – 104°F)

Humidity: 80% maximum

Storage temperature: -20°C – 60°C (-4°F – 140°F)

Humidity: 80% maximum

Pricing, specifications, availability and terms may change without notice. 1. Based on ANSI/NAPM IT7 228-1997 tests of 100 units, November 2002, with average ANSI Lumens 1221. Bulb brightness degrades with usage. 2. Dell's Terms and Conditions of Sales and Service apply and are available on request and at www.euro.dell.com. DLP and Digital Light Processing are trademarks of Texas Instruments. Dell, the Dell logo, Latitude and Inspiron are trademarks of Dell Computer Corporation. © 2003 Dell Computer Corporation. All rights reserved. Reproduction in any manner whatsoever without the express written permission of Dell Computer Corporation is strictly forbidden.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>