



Home Comfort

FRA054XT7

Mini Air Conditioner



Product Dimensions

Height	12"
Width	16"
Depth	15-1/4"

More Easy-To-Use Features

Effortless™ Temperature Control
Our air conditioners maintain the preset room temperature, so you will remain comfortable at all times.

Quickly Cools
Quickly cool a room on hot days.

Comfort Control Design
Easily control the direction of your cool air, wherever your unit is.

Energy and Cost Savings
The unit operates at a low voltage – conserving energy and saving you money.

Effortless™ Restart
Automatically resumes operating at its previous settings when power is restored to your unit.

Power Cord
Comes with an extra long three-prong cord that makes extension cords unnecessary.

SpaceWise® Adjustable Design Optional Side Panels
Extend so you can adjust your unit to fit your window.

24-Hour On/Off Timer
Keep things cool on your schedule.



ENERGY STAR®

Signature Features

Ready-Select® Controls

Easily select options with the touch of a button.

Remote Control

Allows you to precisely control the temperature and fan speed from across the room.

Multi-Speed Fan


Features two different fan speeds, for more cooling flexibility.

Effortless™ Clean Filter


Our antibacterial filter reduces bacteria, room odors and other airborne particles for a cool, comfortable environment.

Performance	BTUs
Cool	5,000

Performance	
BTU (Cool)	5,000
Dehumidification (Pints/Hour)	1.1
Cool Area (Sq. Ft.)	165
Energy Efficiency Ratio	10.7
Electrical	
Volts	115
Amps (Cool)	4.5
Watts (Cool)	465
Length of Power Cord (Min./Max.)	6' / 6.5'
Plug Type (NEMA)	LCDI (5-15P)
Features	
Electronic Controls	Ready-Select® Controls
Fan Speeds (Cool / Fan)	2 / 2
Low Voltage Start-Up	Yes
Auto Cool Function	Yes
Energy Save	Yes
Sleep Mode	
Filter Check	
24-Hour On / Off Timer	Yes
Clean Air Ionizer	
Remote Control	Full Function
Air CFM (High / Low)	146 / 125
Air Direction Control	2-Way
Fresh Air / Exhaust Vent / Closed	No / No / Yes
Filter Type	Antibacterial Mesh
Filter Access	Slide-Out
Slide-Out Chassis	
Window Mounting Kit (Included)	Pleated Quick Mount
Warranty ¹	Yes
Certifications	
ENERGY STAR®	Yes
Performance	AHAM
Specifications	
Refrigerant	R410a
Shipping Weight (Approx.)	45 Lbs.



¹Warranty 5 year sealed system / 1 year full parts and labor.



Plug Type (NEMA) 5-15P

NOTE: For planning purposes only. Always consult local and national electric codes. Refer to Product Installation Guide for detailed installation instructions on the web at frigidaire.com.



Product Dimensions		Window Dimensions	
A - Height	12"	D - Height (Min.)	13"
B - Width	16"	E - Width (Min./Max.)	23" / 36"
C - Depth	15-1/4"		

Accessories information available on the web at frigidaire.com

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • frigidaire.com
 CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • frigidaire.ca

FRA054XT7 04/11

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>