



## High-Efficiency Laundry Centres FFLE40C3Q T/W

4.5 Cu.Ft. Washer I.E.C.  
5.5 Cu.Ft. Dryer I.E.C.  
Electric



### Signature Features

#### Super Capacity

Fit more in every load. Wash and dry 3 days of laundry at once with our 4.5 cu.ft. HETL washer<sup>1</sup>.

#### Super Speed

Get your laundry done sooner. Quick wash and dry in only 45 minutes<sup>2</sup>.

#### Super Efficiency

Strong, efficient cleaning performance, every time, with our high efficiency washer with stainless steel tub.

#### Super Gentle

Whiter whites, brighter colours, and fewer allergens with advanced rinse cycle technology that uses fresh water.

### Product Dimensions

|        |         |
|--------|---------|
| Height | 77"     |
| Width  | 27"     |
| Depth  | 31-1/2" |

### More Easy To Use Features

#### ENERGY STAR®

Save energy, save time. In order to save energy, the washer extracts more water from clothes during the spin cycle, reducing the drying time.

#### Classic Slate<sup>3</sup>

Now available in a new modern colour, Classic Slate, to bring a new look to your laundry space at home.

#### 9 Wash Cycles

Features 9 multiple wash cycles to meet all of your washing needs such as delicate, comforter, bedding and casual.

#### 9 Drying Cycles

Offers 9 drying cycles to meet all of your drying needs including Cotton/Towels, Refresh, Delicates and Heavy-Duty.

#### Refresh Cycle

Reduce wrinkles with the refresh cycle for those times when your clothes finish drying before you need them.

#### Moisture Sensor

Dries your clothes more precisely by sensing the moisture, reducing wrinkles.

#### Timed Dry Cycle

Select your desired drying time limit that works with your schedule.

#### Fabric Softener Dispenser

No more waiting for the rinse cycle, with the fabric softener dispenser that automatically dispenses fabric softener during the cycle.



ENERGY STAR®

### Available in:



Classic Slate (T)



Classic White (W)


<sup>1</sup>Based upon an estimated 5 lbs. of laundry per day for a family of three. Actual load weight may vary with a maximum of 15 lbs. per load.

<sup>2</sup>Based on AHAM standard for 8 lb. load for various load compositions when Quick Cycle is selected.

<sup>3</sup>Select model only.

|  |                   |
|--|-------------------|
| <b>Washer Features</b>                 |                   |
| Washer Type                            | HE Top Load       |
| Total Capacity I.E.C. (Cu.Ft.)         | 4.5               |
| Controls                               | Ready-Select®     |
| Washer Interior                        | Stainless Steel   |
| Vibration Control System               | Yes               |
| Suspension System                      |                   |
| Wash System                            |                   |
| Fresh Water Rinse                      | Yes               |
| Automatic Temperature Control          | Yes               |
| Water Level Adjustments                | Yes               |
| Bleach Dispenser/Detergent Dispenser   | Yes/No            |
| Fabric Softener Dispenser              | Yes               |
| Cycle Signal                           | Yes               |
| Cycle Signal "On/Off"                  | Yes               |
| Agitate Speeds (Strokes/Min.)          | Variable          |
| Spin Speeds (RPM)                      | 850               |
| <b>Wash Cycles</b>                     |                   |
| Wash Cycles/Specialty Cycles           | 9/0               |
| <b>Washer Options</b>                  |                   |
| Temperature Selections                 | 5                 |
| Water Levels                           | Automatic         |
| Energy Saver Option                    | Yes               |
| <b>Dryer Features</b>                  |                   |
| Total Capacity I.E.C. (Cu.Ft.)         | 5.5               |
| Dryer Drum Interior                    | Stainless Steel   |
| Interior Light                         |                   |
| Wrinkle Release Technology             |                   |
| DrySense™ Technology                   | Yes               |
| Moisture Sensor                        | Yes               |
| Cycle Signal                           | Yes               |
| Cycle Signal "On/Off"                  | Yes               |
| Tumble Speed (RPM)                     | 50                |
| Lint Screen                            | Yes               |
| <b>Dry Cycles</b>                      |                   |
| Dry Cycles/Specialty Cycles            | 9/0               |
| <b>Dryer Options</b>                   |                   |
| Temperature Selections                 | 4                 |
| Dryness Level Selections               | 0                 |
| Timed Dry (Minutes)                    | 60, 90            |
| <b>Optional Accessories</b>            |                   |
| Mobile Home Installation Kit           | PN# 137067200     |
| Drying Rack                            | PN# DRLC          |
| <b>Certifications</b>                  |                   |
| ENERGY STAR®                           | Yes               |
| NSF® Certified                         |                   |
| <b>Specifications</b>                  |                   |
| Maximum Exhaust Duct Length¹ (Ft.)     | 56                |
| Power Supply Connection Location       | Middle Rear       |
| Water Inlet Connection Location        | Middle Rear       |
| Voltage Rating                         | 240V / 60Hz / 30A |
| Connected Load (kW Rating) @ 240 Volts | 5.1               |
| Amps @ 240 Volts                       | 22                |
| Heating Element @ 240 Volts (Watts)    | 4,500             |
| Shipping Weight (Approx.)              | 275 Lbs.          |

¹Rigid metal duct preferred, semi-rigid optional and allow deductions for elbows and vents. Refer to Installation Guide on web for additional information.



NOTE: For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide on the web at [frigidaire.ca](http://frigidaire.ca) for detailed installation instructions.



| <b>Product Dimensions</b> |         |
|---------------------------|---------|
| A - Height                | 77"     |
| B - Width                 | 27"     |
| C - Depth                 | 31-1/2" |
| Depth with Door Open 90°  | 47-1/2" |

Accessories information available on the web at [frigidaire.ca](http://frigidaire.ca)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>