

US★GENERAL®

HANGING TOOL CABINET

Model 39213

INSTALLATION INSTRUCTIONS



Visit our website at: <http://www.harborfreight.com>



**Read this material before using this product.
Failure to do so can result in serious injury.
SAVE THIS MANUAL.**

Copyright© 2001 by Harbor Freight Tools®. All rights reserved. No portion of this manual or any artwork contained herein may be reproduced in any shape or form without the express written consent of Harbor Freight Tools. Diagrams within this manual may not be drawn proportionally. Due to continuing improvements, actual product may differ slightly from the product described herein. Tools required for assembly and service may not be included.

For technical questions or replacement parts, please call 1-800-444-3353.

Manual Revised 10e

SAVE THIS MANUAL

Keep this manual for the safety warnings and precautions, assembly, operating, inspection, maintenance and cleaning procedures. Write the product's serial number in the back of the manual near the assembly diagram (or month and year of purchase if product has no number). Keep this manual and the receipt in a safe and dry place for future reference.

SPECIFICATIONS

Overall Dimensions	14-1/4" x 23-5/8" x 7-7/8"
Metal Thickness	19 Gauge
Compartment Dimensions	23-3/4" x 15-3/4"
Shelf Dimensions	15-3/8" x 15-1/2"
Door Dimensions	14-15/16" x 22-1/16"
Max. Weight Capacity	20 lb. per shelf
Number of Shelves	6
Number of Compartments	3
Keys	6
Number of 3" Peg Hooks	6

SAFETY WARNINGS AND PRECAUTIONS

WARNING: When using this product, basic safety precautions should always be followed to reduce the risk of personal injury and damage to equipment.

Read all instructions before using this product!

1. **Avoid working alone.** If an accident happens, an assistant can bring help.
2. **Keep work area clean.** Cluttered areas invite injuries.
3. **Keep children away.** Children must never be allowed in the work area. Do not let them handle machines, tools, or extension cords.

4. **Store idle equipment.** When not in use, tools must be stored in a dry location to inhibit rust. Always lock up tools and keep out of reach of children.
5. **Stay alert.** Watch what you are doing, use common sense. Do not operate any tool when you are tired.
6. **Check for damaged parts.** Before using any product, any part that appears damaged should be carefully checked to determine that it will operate properly and perform its intended function. Any part that is damaged should be properly repaired or replaced by a qualified technician.
7. **Replacement parts and accessories.** When servicing, use only identical replacement parts. Use of any other parts will void the warranty. Only use accessories intended for use with this product.
8. **Do not excessively overload the shelves.**
9. **Never use the Hanging Cabinet as a seat, a stool or a ladder.**
10. **Use eye protection.** Wear ANSI-approved impact safety goggles when assembling.

Warning: The warnings, cautions, and instructions discussed in this instruction manual cannot cover all possible conditions and situations that may occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product, but must be supplied by the operator.

ASSEMBLY

Your Hanging Tool Cabinet, will require complete assembly as described in the following steps. To assist you with assembly and operation, please refer to the Operational Figures as well as the Parts List and Assembly Diagram located on the last pages of this manual.




Figure 1-Attaching Bottom Panel to Right Side Panel

1. Lay out the Bottom Panel (part #12) on your work area with the Lip facing toward what will be the front of the Hanging Tool Cabinet. Attach the Right Side Panel (#7) to the Bottom Panel (#12) making certain that the lip faces the front of the Hanging Cabinet. The lip should line up with the lip of the Bottom Panel (#12)-see Figure 1. Insert two (2) Bolts (#6) up through the Bottom Panel (#12) then thread the Nut (#5) onto the Bolt (#6). Repeat for the Left Side Panel (#16).
2. Set the Hanging Tool Cabinet so that the Back Panel (#8) will be supported against a workbench, wall or floor. Lay the edge of one (1) Back Panel (#8) inside and at the rear of the Bottom Panel (#12)-see Figure 2. Repeat for the remaining two (2) Back Panels (#8).
3. The Center Panel 2 (#3) has a split/double lip-see Figure 3, next page. Set Center Panel 2 (#3) so that the split lip faces the front of the Hanging Cabinet. The back edge of Center Panel 2 (#3) will lay on the edge of the rear right Back Panel (#8).
4. Insert one Bolt (#6) through each hole in the edge of the right Back Panel (#8), through the holes in the Center Panel 2 (#3) and through the holes in the middle Back Panel (#8). Thread Nut (#5) onto Bolt (#6).

Back
Panel
(#8)




Figure 2

Note: Back Panels (8) do not bolt to Side Panels (7 & 16) directly, Back Panels (8) only bolt together and to the Top and Bottom Panels (1 & 12).

5. Set the Center Panel 1 (#2) so that the lip faces front and the rear edge sits against the back of the Bottom Panel (#12). Insert one Bolt (#6) through each hole in the edge of the left Back Panel, through the holes in the Center Panel 1 (#2) and through the holes in the middle Back Panel (#8). Thread Nut (#5) onto Bolt (#6).

Note: Each Door is labeled indicating Right Door, Left Door, and Center Door.

- Loosely set the Top Panel (#1) in place on top of the assembly you finished in steps one (1) through five (5) above. Make certain that the lip faces the front of the Hanging Cabinet. Insert the Right Door (#11) into the holes in the Top and Bottom Panel. The Doors are attached with pins which set into holes; make certain to lay the Washer (hardware bag) over the pin prior to insertion. Insert the Center Door (#13) into the holes in the Top and Bottom Panel. Repeat for the Left Door (#15).
- Once the Doors are in place, attach the Top Panel (#1) to the assembly by inserting two (2) Bolts (#6) down into the Right Side Panel (#7) and two Bolts (#6) down into the Left Side Panel (#16). Secure in place with Nuts (#5). Thread in remaining three (3) Bolts (#6) through the Top Panel (#1) and into Center Panel 1(#2) and Center Panel 2 (#3), and into center Back Panel (#8). Secure with Nuts (#5).



Figure 3-Center Panel




Figure 4-Inserting Lock


- Remove the large Nut off of the Lock (#14). Force the Lock (#14) into the hole in the Right Door (#11). Thread the large Nut back onto the Lock until it rests against the Door, securing the Lock (#14) in place-see Figure 4. Remove the washer and star-shaped lock washer from the Lock by loosening the screw on the end-see Figure 4. Slip on the locking lever so that when the key is turned the lever is horizontal, and then replace the washer and lock washer onto the Lock (#14)-see Figure 4 above. Repeat for the remaining two (2) Locks (#14).

Note: Each Lock (#14) comes with two (2) keys. Turning the key should move the lever to a horizontal position which will keep the Door from opening.

- To hang the Cabinet, attach the two (2) Hangers (#4) to the right and left sides of the Back Panel (#8) with two (2) Bolts (#6). The Hangers (#4) should be attached to the Back Panel (#8) at different ends of the Cabinet so that when hung the weight is evenly distributed. Hang the Cabinet with the one (1) hole in each Hanger.

Warning: Make certain that the Bolt you use (not included) is sufficiently strong enough to hold the weight of the Hanging Cabinet and all contents of the cabinet. Make certain that the surface to which the Cabinet will be mounted will support the full weight of the Hanging Cabinet along with the weight of all tools and accessories which will be placed inside of the Cabinet.

Rear lip of Shelf




Note: Make sure that the rear lip of each Shelf can slip into the tabs located on the sides of the Back Panel (8).

Figure 5

10. Each Shelf (#10) sits in the tabs on the Back Panel (8) and the tabs on the Side Panels (7, 16) - see Figure 5.

ASSEMBLY DIAGRAM



UNPACKING

When unpacking your Hanging Tool Cabinet, check to make sure the following parts are included. If any parts are missing or broken, please call **HARBOR FREIGHT TOOLS** at **1-800-444-3353**.

PARTS LISTING (ASSEMBLY DIAGRAM LOCATED ON PAGE 5)

Part	Description	Q'ty
1	Top Panel	1
2	Center Panel 1	1
3	Center Panel 2	1
4	Hanger	2
5	Nut	22
6	Bolt	22
7	Right Side Panel	1
8	Back Panel	3

Part	Description	Q'ty
10	Shelf	6
11	Right Door	1
12	Bottom Panel	1
13	Center Door	1
14	Lock	3
15	Left Door	1
16	Left Side Panel	1
17	Peg Hook, 3"	6

Note: Some parts are listed and shown for illustration purposes only and are not available individually as replacement parts.

PLEASE READ THE FOLLOWING CAREFULLY

THE MANUFACTURER AND/OR DISTRIBUTOR HAS PROVIDED THE PARTS DIAGRAM IN THIS MANUAL AS A REFERENCE TOOL ONLY. NEITHER THE MANUFACTURER NOR DISTRIBUTOR MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND TO THE BUYER THAT HE OR SHE IS QUALIFIED TO MAKE ANY REPAIRS TO THE PRODUCT OR THAT HE OR SHE IS QUALIFIED TO REPLACE ANY PARTS OF THE PRODUCT. IN FACT, THE MANUFACTURER AND/OR DISTRIBUTOR EXPRESSLY STATES THAT ALL REPAIRS AND PARTS REPLACEMENTS SHOULD BE UNDERTAKEN BY CERTIFIED AND LICENSED TECHNICIANS AND NOT BY THE BUYER. THE BUYER ASSUMES ALL RISK AND LIABILITY ARISING OUT OF HIS OR HER REPAIRS TO THE ORIGINAL PRODUCT OR REPLACEMENT PARTS THERETO, OR ARISING OUT OF HIS OR HER INSTALLATION OF REPLACEMENT PARTS THERETO.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>