



HEAT & GLO
LifeStyle Collection



Twilight™ II
Indoor/Outdoor Gas Fireplace



A



Inside comfort
& outdoor living



B



- A. Enjoy this beautiful fireplace from both inside and outside your home.
- B. 38,000 Btu/Hour input delivers generous heat and flames.

Interior Fronts Twilight™ II

An interior front is required to finish Twilight II. Purchase one of these stylish options, each available in various finishes as indicated. Two even accept interchangeable panels.

Essence Doors




Available in all five finishes. Accept interchangeable decorative companions. DF-6-ESSENCE

Basic Front



In black only. DF-6000

Firescreen Front



In black, bronze or pewter. Accepts interchangeable decorative panels and Firescreen Companions. DF-6-FS

Interchangeable Decorative Panels

Firescreen fronts and Essence doors for Twilight™ II accept these three interchangeable panels. Buy one or several; they're easy to change. Each is available in five finishes to match or contrast with fronts: black, bronze, brushed nickel, pewter, polished brass.



Waverly




Mission



Classic




Black



Bronze



Brushed Nickel



Pewter



Polished Brass

Twilight™ II

The best of both worlds.

Exterior Front

The Twilight II ships with a black exterior front. It's designed to withstand the elements, even hurricanes.




Firescreen Front

The Firescreen front can be enjoyed unadorned, or you can purchase one of these two Firescreen companions to attach to the front's exterior, adding a distinctive touch of corner detail. Either is available in black, bronze or pewter to match or contrast with the front.



Carrage Hill
Companions set



Prairie Ridge
Companions set

Twilight™ II Specifications

MODEL	VIEWING AREA	BTU INPUT
Twilight™ II	36 x 21-1/2	NG: 38,000 LP: 37,000

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not true representation of the fireplace, flames and/or finishes.

Twilight™ II Standard Features

- 38,000 BTU input/hour (NG)
- Weather-tested/hurricane-rated
- Sealed combustion chamber
- No additional venting required
- Black exterior front (ships with fireplace)

Twilight™ II Optional Features

- Interior fronts in various finishes (required)
- Remote control
- Fan kit
- Wall switch kit

Healthy Hearth

Our direct vent fireplaces will not alter the quality of indoor room air in any way. They utilize a sealed combustion chamber that draws in fresh air from outdoors and discards all combustion by-products back outside.

Limited Lifetime Warranty

The strongest in the industry, Heat & Glo guarantees protection for all gas units, including a lifetime warranty on the most important aspects: fiber logs, stainless steel burner, firebox and heat exchanger.

For complete information and valuable assistance on this model, please contact us at:

HEAT & GLO
LifeStyleCollection

20802 Kensington Boulevard, Lakeville, MN 55044
888-427-3973 952-985-6000

Email: info@heatnglo.com
Web: heatnglo.com

A brand of Hearth & Home Technologies Inc.



HNG-1056U-0607

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>